

REMARKS**1. Summary of Office Action**

In the Office Action dated May 3, 2005, the Examiner rejected all currently pending claims. Of the claims the Examiner rejected claims 22-29 under 35 U.S.C. § 102(e) as being anticipated by Mulligan, U.S. Patent 6,212,190 (hereinafter, "Mulligan"); and rejected claims 1-8 and 10-21 under 35 U.S.C. § 103(a) as being unpatentable over Mulligan in view of Matsuzono, U.S. Patent 5,809,254 (hereinafter, "Matsuzono"). Currently pending are claims 1-8 and 10-29.

After careful review of the pending claims and the cited references, Applicants submit all pending claims as currently in condition for allowance and respectfully request favorable reconsideration in view of the following remarks.

2. Response to 35 U.S.C. § 102(e) Rejection

Claims 22-29 were rejected under 35 U.S.C. § 102(e) as being anticipated by Mulligan. Of these claims, dependent claims 23 and 24 derive from independent claim 22, and dependent claims 26-29 derive from independent claim 25. Claims 22 and 25 have been amended to better claim the invention.

Amended claim 22 is directed toward a method for reducing message fragmentation between a data source and a data receiver connected by a network. This method comprises the steps of intercepting a communication, predicting a maximum segment size (MSS), sending a signal to the data source and the data receiver, storing a determined MSS, and inserting the determined MSS into subsequent connection announcements.

In particular, the claim sets forth the step of inserting the determined MSS into "subsequent announcements of connections between said data source and said data receiver," which may be

accomplished by such means as inserting a value for the MSS into the options field of a TCP header (specification, page 16, lines 15-20), or by modifying the size of the announcement message (specification, page 9, lines 18-22). As a result, the method of claim 22 functions by adjusting the initial messages used to establish a connection between the data source and the data receiver.

Mulligan does not teach a method of reducing message fragmentation between a data source and a data receiver connected by a network consistent with the method of claim 22. Specifically, Mulligan does not teach the method step of sending a signal to both the data source and the data receiver, and does not teach the step of adjusting the MSS of the initial message used to setup the connection between the source host and the destination host. Rather, Mulligan determines the MTU of a link in a single direction (i.e. from the source to the destination) using a technique called "Path MTU Discovery" (col. 3, lines 45-65; col. 8, lines 46-57). As described by Mulligan, although this technique utilizes datagram packets with the don't fragment (DF) bit set, the datagram packets are sent directly from the source host to the destination host, and are not sent to both the source host and the destination host.

In addition, this process does not require the step of intercepting a connection announcement between the source and destination hosts, which is explicitly required by the method of claim 22. As a result, Mulligan does not teach a method that is capable of bridging two networks with different MTUs, which is a unique aspect of the current invention. In addition, no methods taught by Mulligan concern connection announcements between nodes in any capacity. Rather, the methods described by Mulligan work on the assumption that MTUs for network segments can initially be determined (Mulligan, column 8, lines 34-35), and then address the problem of message fragmentation by determining the best size to use for fragmenting messages that are greater than a given MTU (Mulligan, column 9, lines 38-48; column 10, lines 32-41).

In contrast, the method of claim 22 addresses this problem by ensuring that the messages generated by the source and destination hosts are always less than or equal to the MTU of the network, thereby preventing *any* message fragmentation. In short, Mulligan seeks to optimize message fragmentation while the current invention seeks to avoid fragmentation entirely. Therefore, Mulligan does not teach the method of claim 22.

The portions of the Mulligan reference cited by the Examiner do not disclose the claimed element of intercepting announcements. In particular, the Examiner cited to column 5 lines 27 - 34 and column 7 lines 55 - 67 for the step of intercepting the first announcement. However, this section of column 5 merely describes a source node and destination node communicating over a router or over a secondary route including other networks. This section of column 7 describes how the router ensures that the IP datagrams do not exceed the MTU of the network receiving the datagram. Thus these sections merely describe receipt of a message and verification that it is not too large, and do not disclose the interception of an announcement message. The examiner did not provide any citation for the step of inserting said determined maximum segment into subsequent announcements. Applicants have found no disclosure in Mulligan relating to interception of an announcement and insertion of the segment size.

Claim 25 of the current application is directed towards an apparatus for reducing message fragmentation between a data source and a data receiver. In a similar manner that claim 22 seeks to address the issue by reducing message fragmentation, the apparatus of claim 25 modifies communications between a source and host so that an MSS is utilized by the source and destination hosts that permits transmission through the network with little or no fragmentation. The apparatus functions by intercepting communications between the source and destination hosts, adjusting the MSS indicated by the communications, and then sending the modified communications to the source

and destination hosts. With the modified MSS communications, the source and destination hosts can adjust their message sizes to the STE-provided MSS, thereby avoiding fragmentation.

In light of the above remarks, Applicant respectfully requests withdrawal of the 35 U.S.C. § 102(e) rejections.

3. Response to 35 U.S.C. § 103(a) Rejection

Claims 1-8 and 10-21 were rejected under 35 U.S.C. § 102(a) and (e) as being anticipated by Smith. Of these claims, dependent claims 2-8 and 10 derive from independent claim 1, and dependent claims 12-21 derive from independent claim 11. Claim 1 has been amended to better claim the invention.

Amended claim 1 is directed toward a method for managing message size in a network connection between a data source and data receiver, wherein the method comprises the steps of receiving an announcement establishing a connection between a data source and a data receiver, and then changing the maximum segment size in the announcement to a determined maximum segment size. Specifically, this method does not involve the fragmentation of datagrams in order to alleviate problems associated with message fragmentation.

Mulligan does not teach a method where connection announcements are modified by changing the maximum segment size denoted in the announcement. As described above, the invention of Mulligan is directed towards mitigation of fragmentation effects by finding an optimal size for fragmenting messages. Of the specific references to Mulligan cited by the Examiner in this regard, none detail the modification of the MSS in the manner suggested by the method of claim 1: column 5, lines 27-34 describe a simple network setup; column 7, lines 55-67 provide general information indicating that messages larger than an MTU need to be fragmented or dropped; and

column 9, lines 38-48 describe the determination of the size of the datagram and the use of optimized message fragmentation. As a result, Mulligan does not describe the step of changing the MSS in the announcement message to a determined MSS. Therefore Mulligan does not teach all of the steps of the method of claim 1.

Matsuzono fails to cover this deficiency. Matsuzono describes a system that resides on a host computer, wherein the system accepts MSS requests and issues MSS queries (Matsuzono, column 5, lines 3-31). However, the system does not intercept communications between source and destination hosts. In addition, the system taught by Matsuzono does not describe the step of changing the MSS in the announcement message to a determined MSS. Because neither Mulligan nor Matsuzono teaches the step of changing the maximum segment size in the announcement of the first connection to a determined maximum segment size, all aspects of the current invention are not taught by Mulligan in view of Matsuzono. As a result, Mulligan in view of Matsuzono does not establish a *prima facie* case of obviousness with respect to claim 1.

Claim 11 is directed toward a method for reducing message fragmentation for a connection between a data source and data receiver, wherein the method comprises the steps of receiving a first message fragment of a first connection between the data source and the data receiver, storing the MSS size of the first message, resetting the first connection and initiating the creation of a second connection, and the placing the MSS into the announcement of the second connection.

Mulligan does not teach a method involving the step of resetting a connection between the data source and the data receiver. As described above, the invention of Mulligan is directed towards mitigation of fragmentation effects by finding an optimal size for fragmenting messages. Of the specific references to Mulligan cited by the Examiner in this regard, none detail the modification of the MSS in the manner suggested by the method of claim 11: column 5, lines 27-34 describe a

simple network setup; column 7, lines 55-67 provide general information indicating that messages larger than an MTU need to be fragmented or dropped; and column 9, lines 38-48 describe the determination of the size of the datagram and the use of optimized message fragmentation. No indication of resetting a connection in order to establish a second connection is described, either explicitly or implicitly, by Mulligan. Additionally, Mulligan does not teach the step of placing a MSS size into an announcement of a connection. Of the specific references to Mulligan cited by the Examiner in this regard, none detail the insertion of the MSS into a connection announcement in the manner suggested by claim 11: column 6, lines 18-29 describe the ability of a processor to send and receive data; column 7, lines 55-67 provide general information indicating that messages larger than an MTU need to be fragmented; and column 9, lines 7-21 describe a process to determine an optimal MTU. As a result, Mulligan does not describe either the step of intentionally resetting a connection to initiate a second connection, or placing the MSS into the announcement of the second connection. Therefore Mulligan does not teach all of the steps of the method of claim 11.

Matsuzono fails to cover these deficiencies. Matsuzono describes a system that resides on a host computer, wherein the system accepts MSS requests and issues MSS queries (Matsuzono, column 5, lines 3-31). However, the system does not reset connections between source and destination nodes. In addition, the system taught by Matsuzono does not describe the step of placing a determined MSS in a connection announcement message. Because neither Mulligan nor Matsuzono teaches the steps of intentionally resetting a connection to initiate a second connection, or placing the MSS into the announcement of the second connection, all aspects of the current invention are not taught by Mulligan in view of Matsuzono. As a result, Mulligan in view of Matsuzono does not establish a *prima facie* case of obviousness with respect to claim 11.

Applicants submit that due to the substantial differences between the methods and devices taught by Mulligan in view of Matsuzono and those of independent claims 1 and 11, it sufficiently shown that these claims are novel and non-obvious. Furthermore, Applicants submit that dependent claims 2-8 and 10, which derive from claim 1, and dependent claims 12-20, which derive from claim 11, are also shown to be novel and non-obvious. In light of the above remarks, Applicant respectfully requests withdrawal of the 35 U.S.C. § 103(a) rejections.

CONCLUSION

Applicants submit that the application is in good and proper form for allowance and respectfully request the Examiner to pass this application to issue. If, in the opinion of the Examiner, a telephone conference would expedite the prosecution of this application, the Examiner is invited to call the undersigned attorney at 312-913-3305.

Date: March 6, 2006

Respectfully Submitted,

By:



Robert J. Irvine III
Reg. No. 41,865

**McDonnell, Boehnen
Hulbert & Berghoff LLP**
300 South Wacker Drive
Chicago, IL 60606
Phone: (312) 913-0001
Fax: (312) 913-0002

McDonnell Boehnen Hulbert & Berghoff LLP
300 South Wacker Drive
Chicago, IL 60606
Telephone: (312) 913-0001